



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/785,528	02/24/2004	Won Sun Shin	GK001102	1571

23513 7590 10/05/2005

GUNNISON MCKAY & HODGSON, LLP
GARDEN WEST OFFICE PLAZA, SUITE 220
1900 GARDEN ROAD
MONTEREY, CA 93940

EXAMINER

LUU, CHUONG A

ART UNIT	PAPER NUMBER
----------	--------------

2818

DATE MAILED: 10/05/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/785,528

Applicant(s)

SHIN ET AL.

Examiner

Chuong A. Luu

Art Unit

2818

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 03 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on ____.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 25-33 is/are pending in the application.
- 4a) Of the above claim(s) ____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) ____ is/are allowed.
- 6) ☒ Claim(s) 25-33 is/are rejected.
- 7) ☐ Claim(s) ____ is/are objected to.
- 8) ☐ Claim(s) ____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on ____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☒ Certified copies of the priority documents have been received in Application No. 09/566,069.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|--|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. ____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date <u>4/30/04; 4/12/05</u> | 6) <input type="checkbox"/> Other: ____ |

DETAILED ACTION

PRIOR ART REJECTIONS

Statutory Basis

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

The Rejections

Claims 25-30 are rejected under 35 U.S.C. 102(e) as being anticipated by Kinsman (U.S. 6,172,419).

Kinsman discloses a semiconductor package with

(25) a substrate (102) having a first surface, an opposite second surface, and central throughhole between the first and second surfaces;

a plurality of electrically conductive circuit patterns (106, 112) on each of the first and second surfaces of the substrate (102), wherein the circuit patterns (106, 112) of each of the first and second surfaces of the substrate (106, 112) include a plurality of lands, the circuit patterns of the first surface also include a plurality of bond fingers, and at least some of the circuit patterns of the first surface are electrically connected through the substrate (102) to some of the circuit patterns of the second surface;

a semiconductor chip (120) in said throughhole and electrically connected to the bond fingers, wherein the semiconductor chip (120) has a first surface with bond pads thereon, and an opposite second surface, the first surface of the semiconductor chip (120) faces in a same direction the first surface of the substrate, and the second surface of the semiconductor chip (120) is flush with the second surface of the substrate;

a hardened encapsulant within said through hole and covering the semiconductor chip and the bond fingers, wherein the lands of each of the first and second surfaces are outward of a perimeter of the encapsulant (see Figure 2);

(26) wherein the substrate further comprises a cover coat over the circuit patterns of the first and second surfaces of the substrate, wherein the respective lands and bond fingers are exposed through respective apertures in the cover coat (see Figures 2-3);

(27) further comprising a plurality of electrically conductive balls, wherein each of the conductive balls is fused to a respective one of the lands of the first surface of the substrate (see Figures 2-3);

(28) further comprising a plurality of second electrically conductive balls, wherein each of the second electrically conductive balls is fused to a respective one of the lands of the second surface of the substrate (see Figures 2-3);

(29) further comprising a plurality of electrically conductive balls, wherein some of said electrically conductive balls are fused to respective ones of the lands of the first surface of the substrate and some of said electrically conductive balls are fused to respective ones of the lands of the second surface of the substrate (see Figures 2-3);

(30) further comprising a plurality of electrically conductive balls, wherein each said electrically conductive ball is fused to a respective one of the lands of the second surface of the substrate (see Figures 2-3).

Claims 31-33 are rejected under 35 U.S.C. 102(e) as being anticipated by Akram et al. (U.S. 6,313,522 B1).

Akram discloses a stack of semiconductor packages with

(31) a first semiconductor package comprising: (a) a substrate (18) having a first surface, an opposite second surface, and central through hole between the first and second surfaces; (b) a plurality of electrically conductive circuit patterns (40, 46, 45) on each of the first and second surfaces of the substrate (18), wherein the circuit patterns (40, 46, 45) of each of the first and second surfaces of the substrate (18) include a plurality of lands, the circuit patterns (40, 46, 45) of the first surface also include a plurality of bond fingers, and at least some of the circuit patterns (40, 46, 45) of the first surface are electrically connected through the substrate (18) to some of the circuit patterns (40, 46, 45) of the second surface that include respective ones of the lands; (c) a semiconductor chip (24B) in said through hole and electrically connected to the bond fingers (27), wherein the semiconductor chip (24B) has a first surface with bond pads thereon, and an opposite second surface, the first surface of the semiconductor chip faces in a same direction as the first surface of the substrate, and the second surface of the semiconductor chip is flush with the second surface of the substrate; (d) a hardened encapsulant within said through hole and covering the semiconductor chip and the bond

fingers, wherein the lands of each of the first and second surfaces are outward of a perimeter of the encapsulant; and (e) a plurality of electrically conductive balls, wherein each of the conductive balls is fused to a respective one of the lands of the first surface of the substrate;

a second semiconductor package comprising a plurality of second electrically conductive balls, wherein the second semiconductor package is in a stack with the first semiconductor package, and the second electrically conductive balls of the second package each superimpose and are electrically connected to a respective one of the lands of the second surface of the substrate of the first semiconductor package (see Figures 2-3);

(32) wherein the second semiconductor package includes a second substrate with a central second through hole, the second semiconductor chip is in the second through hole, and the second semiconductor package further comprises a hardened second encapsulant in the second through hole and covering the second semiconductor chip (see Figures 2-3);

(33) wherein the substrate of the first package further comprises a cover coat over the circuit patterns of the first and second surfaces of the substrate, wherein the respective lands and bond fingers are exposed through respective apertures in the cover coat (see Figures 2-3).

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Chuong A. Luu whose telephone number is (571) 272-1902. The examiner can normally be reached on M-F (6:15-2:45).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David C. Nelms can be reached on (571) 272-1787. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Chuong Anh Luu
Patent Examiner
September 30, 2005